

Parameter																							
κ_W			κ_Z			κ_t			κ_b			κ_τ			κ_μ								
Best fit value	Uncertainty Stat.	Uncertainty Syst.	Best fit value	Uncertainty Stat.	Uncertainty Syst.	Best fit value	Uncertainty Stat.	Uncertainty Syst.	Best fit value	Uncertainty Stat.	Uncertainty Syst.	Best fit value	Uncertainty Stat.	Uncertainty Syst.	Best fit value	Uncertainty Stat.	Uncertainty Syst.						
1.09	+0.12 -0.17	+0.08 -0.16	+0.09 -0.04	0.99	+0.11 -0.12	+0.09 -0.10	+0.07 -0.07	1.11	+0.12 -0.11	+0.08 -0.07	+0.09 -0.08	-1.10	+0.33 -0.24	+0.29 -0.16	+0.15 -0.17	1.01	+0.16 -0.20	+0.11 -0.17	+0.12 -0.10	0.82	+0.50 -0.82	+0.49 -0.82	+0.11 -0.00
	(+0.11) (-0.10)	(+0.08) (-0.08)	(+0.06) (-0.06)		(+0.11) (-0.11)	(+0.09) (-0.09)	(+0.06) (-0.06)		(+0.11) (-0.12)	(+0.07) (-0.08)	(+0.09) (-0.09)		(+0.23) (-0.22)	(+0.16) (-0.15)	(+0.16) (-0.16)		(+0.17) (-0.15)	(+0.12) (-0.10)	(+0.12) (-0.11)		(+0.45) (-1.01)	(+0.44) (-1.00)	(+0.07) (-0.11)