

Parameter											
$\lambda_{Vu}$				$\lambda_{du}$				$\kappa_{uu}$			
Best fit		Uncertainty		Best fit		Uncertainty		Best fit		Uncertainty	
value	Stat.	Syst.	value	Stat.	Syst.	value	Stat.	Syst.	value	Stat.	Syst.
0.97	+0.13	+0.11	+0.08	0.92	+0.12	+0.09	+0.08	1.14	+0.18	+0.13	+0.13
	-0.10	-0.08	-0.06		-0.12	-0.09	-0.08		-0.20	-0.16	-0.12
	(+0.15)	(+0.12)	(+0.09)		(+0.13)	(+0.10)	(+0.08)		(+0.16)	(+0.12)	(+0.11)
	(-0.11)	(-0.09)	(-0.07)		(-0.13)	(-0.10)	(-0.08)		(-0.19)	(-0.16)	(-0.11)

Parameter											
$\lambda_{Vq}$				$\lambda_{lq}$				$\kappa_{qq}$			
Best fit		Uncertainty		Best fit		Uncertainty		Best fit		Uncertainty	
value	Stat.	Syst.	value	Stat.	Syst.	value	Stat.	Syst.	value	Stat.	Syst.
0.99	+0.10	+0.07	+0.07	0.92	+0.13	+0.09	+0.10	1.11	+0.13	+0.08	+0.11
	-0.08	-0.06	-0.06		-0.13	-0.08	-0.10		-0.13	-0.08	-0.09
	(+0.12)	(+0.08)	(+0.08)		(+0.15)	(+0.10)	(+0.11)		(+0.13)	(+0.09)	(+0.10)
	(-0.10)	(-0.07)	(-0.07)		(-0.14)	(-0.10)	(-0.10)		(-0.13)	(-0.09)	(-0.10)