

Wilson coefficients		Observed	Expected	Significance (s.d.)
c_{HW}	Best fit	-0.34	0.00	0.0
	68% CL	[-1.46,1.15]	[-1.17,1.76]	
	95% CL	[-2.35,3.57]	[-2.07,6.50]	
c_{HWB}	Best fit	-1.14	0.00	0.5
	68% CL	[-1.92,1.82]	[-1.47,1.50]	
	95% CL	[-2.44,2.34]	[-2.06,2.10]	
c_{HB}	Best fit	-1.09	0.00	1.7
	68% CL	[-1.35,-0.72] \cup [0.92,1.51]	[-0.80,0.96]	
	95% CL	[-1.56,1.75]	[-1.13,1.27]	
c_{HG}	Best fit	-0.01	0.00	0.0
	68% CL	[-0.03,0.01]	[-0.10,0.02]	
	95% CL	[-0.08,0.02]	[-0.14,0.03]	
$c_{\text{H}\tilde{\text{W}}}$	Best fit	1.43	0.00	0.7
	68% CL	[-5.95,-5.22] \cup [-2.21,2.32]	[-1.87,1.91]	
	95% CL	[-7.12,3.00]	[-5.60,4.53]	
$c_{\text{H}\tilde{\text{W}}\text{B}}$	Best fit	-6.42	0.00	0.9
	68% CL	[-9.84,8.90]	[-7.40,7.52]	
	95% CL	[-12.3,11.4]	[-10.51,10.62]	
$c_{\text{H}\tilde{\text{B}}}$	Best fit	17.5	0.00	2.3
	68% CL	[-20.6,-14.5] \cup [13.0,21.1]	[-12.2,11.9]	
	95% CL	[-24.5,-5.9] \cup [6.0,24.1]	[-17.3,16.6]	
$c_{\text{H}\tilde{\text{G}}}$	Best fit	0.00	0.00	0.0
	68% CL	[-0.04,0.03]	[-0.06,0.06]	
	95% CL	[-0.06,0.06]	[-0.08,0.07]	
$c_{\text{H}\Box}$	Best fit	1.14	0.00	0.5
	68% CL	[-1.26,3.31]	[-2.60,2.33]	
	95% CL	[-3.88,5.27]	[-5.56,4.39]	
c_{HD}	Best fit	-7.76	0.00	0.0
	68% CL	[-15.8,27.0]	[-12.1,23.7]	
	95% CL	[-21.7,33.1]	[-19.0,30.5]	
c_{Hu}	Best fit	0.92	0.00	1.4
	68% CL	[-1.21,-0.51] \cup [0.49,1.22]	[-0.76,0.76]	
	95% CL	[-1.46,1.46]	[-1.09,1.09]	
c_{Hd}	Best fit	-1.52	0.00	0.4
	68% CL	[-2.65,2.38]	[-2.22,2.08]	
	95% CL	[-3.45,3.24]	[-3.14,3.00]	
c_{Hj1}	Best fit	0.59	0.00	1.0
	68% CL	[-1.51,1.32]	[-1.28,1.01]	
	95% CL	[-1.95,1.70]	[-1.72,1.45]	
c_{Hj3}	Best fit	0.73	0.00	1.2
	68% CL	[-0.20,1.24]	[-0.48,1.05]	
	95% CL	[-0.83,1.50]	[-0.77,1.35]	