

Variable	Resolved	Boosted	SHAP ranking	
			Resolved	Boosted
Lepton pseudorapidity	✓	✓	13	12
Lepton transverse momentum	✓	✓	16	10
Zeppenfeld variable for the lepton	✓	✓	2	2
Number of jets with $p_T > 30 \text{ GeV}$	✓	✓	7	3
Leading VBS tag jet $p_T$	-	✓	-	11
Trailing VBS tag jet $p_T$	✓	✓	7	6
Pseudorapidity interval $\Delta\eta_{jj}^{\text{VBS}}$ between tag jets	✓	✓	4	4
Quark/gluon discriminator of leading VBS tag jet	✓	✓	9	7
Azimuthal angle distance between VBS tag jets	✓	-	10	-
Invariant mass of the VBS tag jets pair	✓	✓	1	1
$p_T$ of the leading $V_{\text{had}}$ jet	✓	-	14	-
$p_T$ of the trailing $V_{\text{had}}$ jet	✓	-	12	-
Pseudorapidity difference between $V_{\text{had}}$ jets	✓	-	8	-
Quark/gluon discriminator of the leading $V_{\text{had}}$ jet	✓	-	3	-
Quark/gluon discriminator of the trailing $V_{\text{had}}$ jet	✓	-	5	-
$p_T$ of the AK8 $V_{\text{had}}$ jet candidate	-	✓	-	8
Invariant mass of $V_{\text{had}}$	✓	✓	11	5
Zeppenfeld variable for $V_{\text{had}}$	-	✓	-	9
Centrality	-	✓	15	13