

Mass [TeV]	95% CL upper limit [pb]							
	gg		qg		qq		qq-gg for RSG	
	Observed	Expected	Observed	Expected	Observed	Expected	Observed	Expected
0.60	3.93e+01	2.10e+01	3.37e+01	1.90e+01	1.38e+01	1.05e+01	2.27e+01	1.41e+01
0.65	1.55e+01	1.77e+01	1.01e+01	1.14e+01	4.92e+00	5.15e+00	8.62e+00	9.57e+00
0.70	6.14e+00	1.12e+01	4.73e+00	6.32e+00	2.47e+00	3.16e+00	3.77e+00	6.01e+00
0.75	5.50e+00	8.13e+00	3.82e+00	4.68e+00	2.64e+00	2.49e+00	3.66e+00	4.52e+00
0.80	1.02e+01	7.15e+00	5.73e+00	4.06e+00	3.14e+00	2.14e+00	5.70e+00	3.96e+00
0.85	1.13e+01	5.93e+00	5.45e+00	3.33e+00	2.46e+00	1.79e+00	5.71e+00	3.31e+00
0.90	7.56e+00	4.04e+00	3.21e+00	2.42e+00	1.17e+00	1.36e+00	3.53e+00	2.35e+00
0.95	3.23e+00	3.32e+00	1.40e+00	1.86e+00	7.30e-01	1.10e+00	1.66e+00	1.93e+00
1.00	1.66e+00	2.60e+00	9.67e-01	1.45e+00	5.72e-01	9.06e-01	9.83e-01	1.55e+00
1.05	1.41e+00	2.22e+00	1.11e+00	1.26e+00	9.11e-01	7.90e-01	1.10e+00	1.33e+00
1.10	2.06e+00	1.96e+00	1.90e+00	1.13e+00	1.51e+00	7.11e-01	1.72e+00	1.19e+00
1.15	3.90e+00	1.79e+00	2.58e+00	1.04e+00	1.74e+00	6.55e-01	2.58e+00	1.10e+00
1.20	4.49e+00	1.63e+00	2.74e+00	9.49e-01	1.38e+00	6.00e-01	2.60e+00	1.01e+00
1.25	3.48e+00	1.45e+00	2.04e+00	8.64e-01	1.23e+00	5.40e-01	2.12e+00	9.00e-01
1.30	3.58e+00	1.26e+00	2.00e+00	7.60e-01	8.61e-01	4.85e-01	1.95e+00	7.97e-01
1.35	1.96e+00	1.11e+00	1.01e+00	6.62e-01	4.85e-01	4.24e-01	1.08e+00	7.03e-01
1.40	1.14e+00	9.55e-01	5.56e-01	5.71e-01	3.00e-01	3.69e-01	6.44e-01	6.09e-01
1.45	6.32e-01	8.33e-01	3.52e-01	4.97e-01	1.86e-01	3.27e-01	3.70e-01	5.35e-01
1.50	4.20e-01	7.23e-01	2.66e-01	4.30e-01	1.45e-01	2.84e-01	2.59e-01	4.67e-01
1.55	3.57e-01	6.38e-01	1.93e-01	3.81e-01	1.44e-01	2.59e-01	2.34e-01	4.18e-01
1.60	3.37e-01	5.58e-01	1.87e-01	3.45e-01	1.64e-01	2.35e-01	2.37e-01	3.72e-01