

RIVET routine	\sqrt{s} (TeV)	Distribution	CP1-CR1			CP1-CR2		
			Fit range (GeV)	N_{bins}	R	Fit range (GeV)	N_{bins}	R
CMS_2015_I1384119	13	N_{ch} vs η		20	1		20	1
CMS_2015_PAS_FSQ_15_007	13	TransMIN charged p_T^{sum}	3–36	15	1	4–36	13	0.20
		TransMAX charged p_T^{sum}	3–36	15	1	4–36	13	0.20
		TransMIN N_{ch}	3–36	15	1	4–36	13	0.20
		TransMAX N_{ch}	3–36	15	1	4–36	13	0.20
CMS_2012_PAS_FSQ_12_020	7	TransMAX N_{ch}	3–20	10	1	3–20	10	0.10
		TransMIN N_{ch}	3–20	10	1	3–20	10	0.10
		TransMAX charged p_T^{sum}	3–20	10	1	3–20	10	0.10
		TransMIN charged p_T^{sum}	3–20	10	1	3–20	10	0.10
CDF_2015_I1388868	2	TransMIN N_{ch}	2–15	11	1	2–15	11	0.10
		TransMAX N_{ch}	2–15	11	1	2–15	11	0.10
		TransMIN charged p_T^{sum}	2–15	11	1	2–15	11	0.10
		TransMAX charged p_T^{sum}	2–15	11	1	2–15	11	0.10