

Variable	Description
$p_T^{j_1}, p_T^{j_2}$	Magnitudes of the transverse momentum of the leading jets
η_{j_1}, η_{j_2}	Pseudorapidity of the leading jets
m_{jj}	Invariant mass of the dijet system
$\Delta\eta_{jj}$	Pseudorapidity gap between the leading jets
ϕ_{j_1}, ϕ_{j_2}	Azimuthal angle of the leading jets
$p_T^{\ell_1}, p_T^{\ell_2}$	Magnitudes of the transverse momentum of the leading leptons
$p_T^{\ell\ell}$	Magnitudes of the transverse momentum of the dilepton system
$\eta_{\ell_1}, \eta_{\ell_2}$	Pseudorapidity of the leading leptons
$\phi_{\ell_1}, \phi_{\ell_2}$	Azimuthal angle of the leading leptons
$m_{\ell\ell}$	Invariant mass of the dilepton system
$\Delta\phi_{\ell\ell}, \Delta R_{\ell\ell}$	Angular and radial separation between the leading leptons
$m_{\ell j}$	Invariant mass of the lepton-jet system ($\ell = \{\ell_1, \ell_2\}, j = \{j_1, j_2\}$)
C_{tot}	Centrality, defined as $C_{\text{tot}} = \log\left(\sum_{\ell_1, \ell_2} (2\eta_\ell - \sum_{j_1, j_2} \eta_j) / \Delta\eta_{jj} \right)$
E_T^{miss}	Missing transverse energy
qgl_{j_1}, qgl_{j_2}	Quark-gluon likelihood discriminant for the leading jets
m_T	Transverse mass
m^{vis}	Visible mass
$\Delta\phi(\vec{p}_T^{\ell\ell}, \vec{E}_T^{\text{miss}})$	Azimuthal opening angle between $\vec{p}_T^{\ell\ell}$ and \vec{E}_T^{miss}
h_T	Hadronic activity, defined as the scalar sum of the transverse momenta of all jets in the event
$\mathcal{D}_{\text{VBF-ggF}}^{(\text{ME})}$	ME-based discriminant between the VBF and ggH productions
$\mathcal{D}_{\text{VBF-VH}}^{(\text{ME})}$	ME-based discriminant between the VBF and VH productions
$\mathcal{D}_{\text{ggF-VH}}^{(\text{ME})}$	ME-based discriminant between the ggH and VH productions
$\mathcal{D}_{\text{VBF-DY}}^{(\text{ME})}$	ME-based discriminant between the VBF and DY productions
y_{2016}	Boolean indicator of the 2016 data set
y_{2017}	Boolean indicator of the 2017 data set
y_{2018}	Boolean indicator of the 2018 data set